

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	August VERBRUGGEN et al.	Confirmation No.:	7212
Serial No.:	10/595,821	Art Unit:	1651
371 (c) Date:	January 16, 2007	Examiner:	Kade ARIANI
Patent No.:	7,988,962 B2	Customer No.:	21559
Issued:	August 2, 2011		
Title:	USE OF POLYSULPHATED ALGINATE IN CELLULAR MATRICES		

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Attention: Certificate of Correction Branch

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.322


Applicants hereby request that a Certificate of Correction be issued in the patent identified above. The error to be corrected is described in detail on the enclosed PTO Form 1050.

Claim 10 as issued (former claim 39) does not accurately reflect the Examiner's Amendment included in the Notice of Allowability issued on May 5, 2011. Applicants request that a Certificate of Correction be issued to correct this U.S.P.T.O. error.

No fee is believed to be due, as the error to be corrected was made by the
U.S.P.T.O. If there are any charges or any credits, please apply them to Deposit Account
No. 03-2095.

Respectfully submitted,

Date: 18 August 2011



Jan N. Tittel
Reg. No. 52,290

Clark & Elbing LLP
101 Federal Street
Boston, MA 02110
Telephone: 617-428-0200
Facsimile: 617-428-7045

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. 7,988,962 B2
DATED August 2, 2011
INVENTORS August VERBRUGGEN et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In claim 10, column 12, line 16, after "comprising" and before "administering," delete
--1 to 10 µg/ml--.

In claim 10, column 12, line 17, after "comprising" and before "polysulphated," insert
--1 to 10 µg/ml--.

MAILING ADDRESS OF SENDER:

James D. DeCamp
Clark & Elbing LLP
101 Federal Street
Boston, MA 02110
Customer No.: 21559

PATENT NO. 7,988,962 B2
NO. ADDITIONAL COPIES
@ 50¢ PER PAGE